

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERC United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO. Dox 1450 Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/974,913	10/12/2001	Thomas T. Hubscher	Dexall-1	9959
75	590 06/23/2003			
Jonathan E. Grant			EXAMINER	
Suite 210 2120 L Street, N.W. Washington, DC 20037			NGUYEN, BAO THUY L	
wasnington, Do	C 20037		ART UNIT	PAPER NUMBER
			1641	7
			DATE MAILED: 06/23/2003	4
			•	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	09/974,913	THOMAS HUBSCHER
Office Action Summary	Examiner	Art Unit
	Bao-Thuy L. Nguyen	1641
The MAILING DATE of this communication Period for Reply		
A SHORTENED STATUTORY PERIOD FOR R THE MAILING DATE OF THIS COMMUNICATI - Extensions of time may be available under the provisions of 37 C after SIX (6) MONTHS from the mailing date of this communicative. - If the period for reply specified above is less than thirty (30) days - If NO period for reply is specified above, the maximum statutory in the period for reply within the set or extended period for reply will, by - Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b). Status	ON. FR 1.136(a). In no event, however, may a on. , a reply within the statutory minimum of this period will apply and will expire SIX (6) MOI statute, cause the application to become Al	reply be timely filed rty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
1) Responsive to communication(s) filed or	n <u>12 October 2001</u> .	
2a) ☐ This action is FINAL . 2b) ⊠	This action is non-final.	
3) Since this application is in condition for a closed in accordance with the practice u Disposition of Claims		
4) Claim(s) 27-40 is/are pending in the appl	lication.	
4a) Of the above claim(s) is/are wit	hdrawn from consideration.	
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>27-40</u> is/are rejected.		
7) Claim(s) is/are objected to.		•
8) Claim(s) are subject to restriction a	and/or election requirement.	·
Application Papers		
9)☐ The specification is objected to by the Exa	miner.	
10) The drawing(s) filed on is/are: a) □	accepted or b) objected to by	the Examiner.
Applicant may not request that any objection		• •
11)☐ The proposed drawing correction filed on _		disapproved by the Examiner.
If approved, corrected drawings are required		
12)☐ The oath or declaration is objected to by th	ne Examiner.	•
Priority under 35 U.S.C. §§ 119 and 120		
13) ☐ Acknowledgment is made of a claim for fo	preign priority under 35 U.S.C.	§ 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:		
1.☐ Certified copies of the priority docu		
2. Certified copies of the priority docu	ments have been received in A	Application No
 3. Copies of the certified copies of the application from the Internation * See the attached detailed Office action for 	al Bureau (PCT Rule 17.2(a)).	•
14) Acknowledgment is made of a claim for dor	mestic priority under 35 U.S.C.	§ 119(e) (to a provisional application).
a) ☐ The translation of the foreign languag 15)☐ Acknowledgment is made of a claim for do	• • • • • • • • • • • • • • • • • • • •	
Attachment(s)		
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-944) 3) Information Disclosure Statement(s) (PTO-1449) Paper No.	8) 5) Notice of	Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152)
S. Patent and Trademark Office TO-326 (Rev. 04-01) Offi	ice Action Summary	Part of Paper No. 3

Art Unit: 1641

DETAILED ACTION

1. Applicant's amendment filed 10/12/01 has been received. Claims 1-26 and 41-66 have been canceled. Claims 27-40 are pending.

Drawings

- **2.** This application, filed under former 37 CFR 1.60, lacks formal drawings. The informal drawings filed in this application are acceptable for examination purposes.
- 3. New corrected drawings are required in this application. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

4. Claims 27-40 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 27 is vague and indefinite with respect to the recitation of a labeling site comprising colorimetric labeled analytes. It is unclear if the device is intended for the detection analytes such as antibodies in a sample or for the detection of analytes such as antigens, etc. In general, the term "analyte" is defined as "any substance or chemical constituent of blood, urine, or other body fluid that is analyzed, therefore, the recitation of a labeling site comprising

Application/Control Number: 09/974,913

Art Unit: 1641

"labeled analyte" is confusing. Furthermore, what is the relationship between the antibodies in the sample and the labeled analyte? Will they bind to each other?

Claim 27 is also confusing with respect to the recitation of the reaction site binding to the colorimetric immune antibody complexes because it is unclear what is in the reaction site that allows for this binding to occur. The claim recite a reaction for detecting IgG antibodies, for example, without specifically stating what is present in the reaction site.

The recitation of "said colorimetric immune-antibody complexes" lack antecedent support. The recitation of a colored line appearing at each of the reaction site where the antibodies in the sample bind to the colorimetric labeled analyte is confusing because it appears that the labeled analyte is present at the reaction site.

Line 8, "said" should be removed for clarity.

Claims 30 and 31 are confusing because it is unclear if the device is designed to detect analytes such as antibodies from H. pylori for example, or if the "labeled analyte" is a reagent designed to capture antibodies in a sample. Clarification is required.

Claim 32, "the colored solid phase" lacks antecedent support.

Claim 33 is confusing with respect to the recitation of "specific antibodies" because it is unclear which specific antibodies is being claimed, those in the sample?

Claim 36 is vague and indefinite because it is unclear which substances reaction with IgG is being claimed and where they are disposed on the device of claim 27.

Claim 37 is confusing for the same reason stated in claim 36 and further, because the recitation of "said antibody" lack antecedent support.

Claim 39 is vague and indefinite because it is unclear which IgG reacting substance is disposed as the sample site and for what purpose. Is it a capture substance?

Application/Control Number: 09/974,913

Art Unit: 1641

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- **6.** Claims 27-40 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Brizgys et al (US 5,807,752).

Brizgys discloses a device comprising a porous carrier having a requisite number of receptors for analytes to be determined. See column 3, lines 20-28 and figure 1. The device also comprising a labeled binding partner for the analyte to be determined combine with a blocking agent. The label may be a gold sol, colored latex particle, etc. See column 3, lines 29-48. The test carrier also has wicking means at one end, and a waste means at the other. Capture receptors are impregnated on the device at specific locations. Brizgys teaches that both the capture and labeled receptors may be antibodies, antigens, protein A including polyclonal and monoclonal antibodies. See column 4, lines 14-16; lines 34-40 and column 5, lines 18. In one specific embodiment, a device comprising for analyte specific antibodies and one control was made to detect IgA, IgD, IgE, IgM and IgG. See columns 5 and 6.

Page 5

Application/Control Number: 09/974,913

Art Unit: 1641

Conclusion

7. No claim is allowed.

8. Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Bao-Thuy L. Nguyen whose telephone number is (703) 308-4243. The

examiner can normally be reached on Monday, Wednesday and Thursday from 9:00 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Long V. Le can be reached on (703) 305-3399. The fax phone numbers for the

organization where this application or proceeding is assigned are (703) 308-4242 for regular

communications and (703) 308-3014 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is (703) 308-0196.

Bao-Thuy L. Nguyen

Primary Examiner

Art Unit 1641

June 17, 2003